


Exposure to second hand smoke at home Canada, 2011


Key findings

- The number of non-smoking Canadians who report someone smoking in their home every day or nearly every day has fallen by 800,000 Canadians between 2003 and 2011.
- The age group most likely to report being exposed either at home is young Canadians aged 12-19. The rate of exposure for this group (13%) is more than twice as high as the national average.


Distribution of non-smokers exposed to second hand at home by age, 2010



Percentage of non-smokers exposed to second hand smoke at home by age, 2011




Percentage of non-smokers in Canada reporting exposure to second-hand smoke at home, 2003-2011



NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE AT HOME, 2011

	Percentage of population (95% confidence interval)	Number of People
Canada	5.5 (5.1-5.8)	1,268,943
Newfoundland and Labrador	5.2 (3.7-6.7)	18,395
Prince Edward Island	9.0 (6.2-11.8)	8,856
Nova Scotia	6.9 (5.2-8.6)	31,914
New Brunswick	6.9 (5.2-8.6)	34,695
Quebec	8.7 (7.8-9.6)	464,376
Ontario	4.8 (4.0-5.6)	434,548
Manitoba	4.2 (3.2-5.3)	33,596
Saskatchewan	5.2 (4.0-6.4)	33,188
Alberta	5.8 (4.6-7.0)	127,806
British Columbia	2.4 (1.9-2.9)	78,020
Yukon	E4.5 (2.6-6.5)	E948
Northwest Territories	E8.2 (5.1-11.4)	E1,976
Nunavut		F
All ages		
12 to 19 years of age	12.6 (11.4-13.9)	373,437
20 – 34 years of age	6.0 (5.1-7.0)	303,711
35 – 44 years of age	3.1 (2.2-4.1)	111,702
45 – 64 years of age	4.5 (3.8-5.2)	339,434
65 years of age and older	3.4 (2.9-3.8)	140,659

Statistics Canada: Canadian Community Health Survey, 2003- 2011; E=Interpret with caution; F=failed



NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE AT HOME, 2003-2011

NUMBER OF PEOPLE

	2003	2005	2007	2008	2009	2010	2011	Change
Canada	2,148,104	1,847,735	1,599,608	1,463,446	1,417,072	1,331,928	1,268,943	
• Newfoundland and Labrador	48,492	41,005	29,169	25,852	27,219	22,237	18,395	
• Prince Edward Island	10,661	12,406	7,886	7,867	E6,754	E4,684	8,856	
• Nova Scotia	76,319	65,377	44,091	42,823	45,279	53,323	31,914	
• New Brunswick	60,855	59,710	44,654	44,153	36,486	32,856	34,695	
• Quebec	737,032	636,322	591,803	488,275	475,079	448,123	464,376	
• Ontario	724,747	606,367	487,592	518,004	481,141	453,591	434,548	
• Manitoba	75,486	64,032	64,725	50,886	46,652	45,665	33,596	
• Saskatchewan	64,821	46,449	48,075	48,439	44,217	40,216	33,188	
• Alberta	182,495	167,886	139,870	124,330	133,536	138,705	127,806	
• British Columbia	161,116	141,220	136,154	109,033	116,034	89,240	78,020	
• Yukon	2,279	1,561	E1,944	E1,233	E2,152	1,559	E948	
• Northwest Territories	3,065	4,207	E2,737	E1,308	E1,934	E1,339	E1,976	
• Nunavut	E738	E1,194	E907	E1,243	F	F	F	

Statistics Canada: Canadian Community Health Survey, 2009;

E=Interpret with caution; F=failed

PERCENTAGE OF POPULATION

	2003	2005	2007	2008	2009	2010	2010
Canada	10.6	8.8	7.4	6.6	6.2	5.9	5.5
	10.3-10.9	8.5-9	7.1-7.8	6.3-7	5.9-6.6	5.5-6.2	5.1-5.8
• Newfoundland and Labrador	13.9	11.9	8.9	7.7	8	6.5	5.2
	12.4-15.4	10.3-13.5	7-10.7	5.8-9.6	6.2-9.7	4.7-8.3	3.7-6.7
• Prince Edward Island	11.7	13.6	8.5	8.3	7	5	9.0
	9.5-13.9	11.4-15.8	6.3-10.7	5.8-10.8	4.7-9.3	3.1-6.9	6.2-11.8
• Nova Scotia	12.6	10.6	7.3	7	7.3	8.6	6.9
	11.1-14.1	9.3-12	6-8.6	5.6-8.4	5.8-8.8	6.6-10.7	5.2-8.6
• New Brunswick	12.8	12.1	9.1	8.9	7.2	6.6	6.9
	11.4-14.3	10.6-13.5	7.3-10.9	7.5-10.4	5.7-8.8	5.1-8.1	5.2-8.6
• Quebec	15.7	13	12	9.7	9.2	8.7	8.7
	14.9-16.6	12.3-13.7	11-13.1	8.7-10.6	8.3-10.2	7.8-9.6	7.8-9.6
• Ontario	9.2	7.3	5.7	5.9	5.3	5	4.8
	8.7-9.7	6.9-7.7	5.3-6.2	5.3-6.5	4.8-5.9	4.5-5.6	4.0-5.6
• Manitoba	10.7	8.6	8.9	7	6.1	5.7	4.2
	9.4-12.1	7.4-9.8	6.8-10.9	5.4-8.7	4.6-7.5	4.2-7.3	3.2-5.3
• Saskatchewan	10.7	7.8	8.3	8.1	6.9	6.3	5.2
	9.7-11.7	6.8-8.8	6.9-9.6	6.6-9.5	5.5-8.3	4.8-7.8	4.0-6.4
• Alberta	9.2	8.1	6.3	5.5	5.8	5.8	5.8
	8.4-10	7.4-8.9	5.2-7.4	4.6-6.4	4.7-7	4.6-7	4.6-7.0
• British Columbia	5.7	4.8	4.5	3.6	3.6	2.8	2.4
	5.1-6.2	4.3-5.3	3.8-5.1	3-4.2	2.8-4.4	2.2-3.4	1.9-2.9
• Yukon	12.6	8.2	E11.3	E6.6	E12	E7.3	E4.5
	9.4-15.8	5.4-11.1	7.3-15.4	4-9.3	7.8-16.2	(4.8-9.8)	2.6-6.5
• Northwest Territories	14.6	19	E13.2	E5.8	E8.7	E6.8	E8.2
	11.3-17.8	14-24	8.3-18.2	2.8-8.8	5.6-11.8	3.2-10.4	5.1-11.4
• Nunavut	E15.3	E17	E14.2	E17.6	E9.8		
	11-19.5	9.2-24.8	6.6-21.8	9.3-25.9	3.5-16.2		

The data on this fact sheet were derived from the Canadian Community Health Surveys (Cycle 2.1, 2.2 and 2007, 2008, 2009 and 2010) as provided by Statistics Canada.

Further information on survey methodology can be found at: <http://www.statcan.gc.ca/dli-ild/data-donnees/ftp/cchs-escs-eng.htm>

The questions used on the CCHS survey included the following:

- “Including both household members and regular visitors, does anyone smoke inside your home every day or almost every day?” (Yes/No) This question was asked of non-smokers.
- “Are there any restrictions against smoking cigarettes in your home?” How is smoking restricted in your home? - Smokers are asked to refrain from smoking in the house”. This question was asked of all respondents.

5.5 (5.1-5.8)
5.2 (3.7-6.7)
9.0 (6.2-11.8)
6.9 (5.2-8.6)
6.9 (5.2-8.6)
8.7 (7.8-9.6)
4.8 (4.0-5.6)
4.2 (3.2-5.3)
5.2 (4.0-6.4)
5.8 (4.6-7.0)
2.4 (1.9-2.9)
E4.5 (2.6-6.5)
E8.2 (5.1-11.4)