



# New Brunswick, 2009




## CURRENT SMOKING (DAILY AND OCCASIONAL) IN NEW BRUNSWICK, 2009

	Percentage of population		Number of People
<b>Canada</b>	<b>20.1</b>	<b>(19.6-20.7)</b>	<b>5,730,321</b>
<b>New Brunswick</b>	<b>22</b>	<b>(19.6-24.4)</b>	<b>142,147</b>
<b>By Health Unit</b>			
Region 1	24.6	(18.7-30.6)	41,976
Region 2	22.3	(17-27.7)	33,462
Region 3	20.3	(15.7-24.9)	29,400
Region 4	21.3	(15-27.6)	9,487
Region 5	17.2	(10.3-24)	3,933
Region 6	19.5	(14-25)	13,845
Region 7	24	(16.7-31.3)	10,045
<b>All ages</b>			
	<b>22</b>	<b>(19.6-24.4)</b>	<b>142,147</b>
• Men	23.5	(19.5-27.5)	73654
• Women	20.6	(17.8-23.5)	68493
12 to 19 years of age (both sexes)	E9.1	(4.7-13.5)	E6,567
20-34 years of age (both sexes)	31.1	(25.2-37)	41,285
35-44 years of age (both sexes)	28.1	(21.9-34.3)	30,314
45-64 years of age (both sexes)	24.5	(20.4-28.7)	55,494
65 years and over (both sexes)	E8	(5.3-10.6)	E8,487
<b>Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution</b>			


Distribution of smokers by sex  
New Brunswick, 2009




Distribution of smokers by sex  
New Brunswick, 2009



Number of smokers by health unit, New Brunswick  
daily or occasional smoking, 2009



Smoking prevalence by health unit, New Brunswick  
daily or occasional smoking, 2009



**CURRENT SMOKING (DAILY AND OCCASIONAL) IN NEW BRUNSWICK: TRENDS 2000-2009**

	2000	2003	2005	2007	2008	2009
<b>Number of Smokers</b>						
Canada	6,677,856	6,080,504	5,874,689	6,112,442	6,009,311	5,730,321
New Brunswick	167,004	161,474	13,543	149,124	149,932	142,147
<b>By Health Unit</b>						
Region 1		40,487	35,958	40,891	43,569	41,976
Region 2		34,285	33,183	31,643	34,176	33,462
Region 3		36,472	32,291	30,577	31,245	29,400
Region 4		13,895	11,395	11,320	11,825	9,487
Region 5		6,753	5,193	7,335	E5,270	E3,933
Region 6		18,725	16,968	17,114	15,514	13,845
Region 7		10,857	8,554	10,245	8,334	10,045
<b>All ages</b>	167,004	161,474	143,543	149,124	149,932	142,147
• Men	86,514	81,343	77,332	85,382	72,005	73,654
• Women	80,490	80,130	66,211	63,743	77,927	68,493
12 to 19 years of age (both sexes)	12,596	11,223	7,427	8,252	8,569	6,567
20-34 years of age (both sexes)	53,212	47,107	45,445	40,582	43,578	41,285
35-44 years of age (both sexes)	41,685	41,729	33,800	40,096	28,394	30,314
45-64 years of age (both sexes)	48,150	51,441	47,457	51,899	56,587	55,494
65 years and over (both sexes)	11,361	9,973	9,414	8,295	12,804	8,487
<b>Percentage who smoke</b>						
Canada	25.9	23	21.8	22	21.4	20.1
	25.5-26.3	22.7-23.4	21.4-22.1	21.6-22.5	20.9-21.9	19.6-20.7
New Brunswick	26.3	25.4	22.5	23.4	23.3	22
	24.8-27.9	23.7-27.1	21.1-24	21.4-25.3	21.2-25.5	19.6-24.4
<b>By Health Unit</b>						
Region 1	24.7	21.6	24.2	25.5	24.6	24.7
	21.2-28.2	18.7-24.6	20-28.4	20.5-30.5	18.7-30.6	21.2-28.2
Region 2	22.9	22.1	21.1	22.6	22.3	22.9
	19.3-26.6	18.8-25.3	16.5-25.6	18.7-26.6	17-27.7	19.3-26.6
Region 3	26.1	22.9	21.5	21.7	20.3	26.1
	22.2-30	19.4-26.3	17-26	16.6-26.7	15.7-24.9	22.2-30
Region 4	30.9	25.8	25.1	27.2	21.3	30.9
	25.9-35.8	21.2-30.5	19.6-30.5	20.8-33.6	15-27.6	25.9-35.8
Region 5	26.5	20.9	28.6	22.1	E17.2	E26.5
	22.3-30.7	15.5-26.2	22-35.1	14.8-29.4	10.3-24	22.3-30.7
Region 6	25.9	24	24.7	21.7	19.5	25.9
	21.7-30.2	20.1-27.9	20-29.4	16.1-27.3	14-25	21.7-30.2
Region 7	27.3	21.7	27.6	21.9	24	27.3
	22.2-32.3	16-27.4	20.9-34.4	16.5-27.3	16.7-31.3	22.2-32.3
<b>All ages</b>	26.3	25.4	22.5	23.4	23.3	22
	24.8-27.9	23.7-27.1	21.1-24	21.4-25.3	21.2-25.5	19.6-24.4
• Men	27.9	26.2	24.8	27.4	22.9	23.5
	25.6-30.1	23.7-28.8	22.5-27.1	24.3-30.5	20-25.9	19.5-27.5
• Women	24.9	24.6	20.4	19.5	23.7	20.6
	22.9-26.8	22.4-26.8	18.4-22.3	17.1-22	20.5-26.8	17.8-23.5
12 to 19 years of age (both sexes)	15.9	14.4	9.8	11.2	11.7	9.1
	13-18.8	11.1-17.7	7.2-12.5	7.2-15.3	7.3-16.1	4.7-13.5
20-34 years of age (both sexes)	35.3	32.9	32.2	30.3	31.1	31.1
	31.8-38.7	28.9-37	28.5-36	25.5-35.2	25.4-36.8	25.2-37
35-44 years of age (both sexes)	33.1	33.8	29.3	35.5	27.4	28.1
	29.6-36.6	28.8-38.7	25.3-33.4	29.8-41.2	21.9-32.8	21.9-34.3
45-64 years of age (both sexes)	25.9	25.9	22.8	23.9	25.5	24.5
	23.1-28.8	23-28.8	20.1-25.5	20.6-27.3	21.5-29.4	20.4-28.7
65 years and over (both sexes)	12.3	10.8	9.6	8.2	12.3	E8
	10-14.6	8.2-13.4	7.3-12	5.9-10.4	9.5-15.2	5.3-10.6

Statistics Canada: Canadian Community Health Survey, 2000-2009. E=Interpret with caution

**NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE AT HOME, 2009**

	Percentage of population	Number of People
<b>Canada</b>	<b>6.2 (5.9-6.6)</b>	<b>1,417,072</b>
<b>New Brunswick</b>	7.2 (5.7-8.8)	36,486
• Men	6.8 (4.6-8.9)	16,271
• Women	7.7 (5.6-9.7)	20,215
12 to 19 years of age (both sexes)	E16.5 (10.9-22.1)	E10,790
20-34 years of age (both sexes)	E9.9 (5-14.7)	E9,017
35-44 years of age (both sexes)	E5 (1.8-8.3)	E3,889
45-64 years of age (both sexes)	E4.9 (3.2-6.7)	E8,449
65 years and over (both sexes)	E4.4 (2.3-6.5)	E4,340

*Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution; F=Failed*

**NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE IN PUBLIC PLACES, 2009**

	Percentage of population	Number of People
<b>Canada</b>	<b>10.0 (9.5- 10.4)</b>	<b>2,261,042</b>
<b>New Brunswick</b>	8 (6.3-9.7)	40,334
• Men	8.8 (6.2-11.4)	21,154
• Women	7.3 (5.2-9.4)	19,180
12 to 19 years of age (both sexes)	E13.8 (7.7-20)	E9,057
20-34 years of age (both sexes)	E11.8 (7.3-16.2)	E10,778
35-44 years of age (both sexes)	E8.4 (4.4-12.5)	E6,527
45-64 years of age (both sexes)	E6.5 (3.7-9.4)	E11,166
65 years and over (both sexes)	E2.8 (1.3-4.4)	E2,806

*Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution; F=Failed*

**NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE IN VEHICLES, 2009**

	Percentage of population	Number of People
<b>Canada</b>	<b>7.1 (6.7-7.5)</b>	<b>1,617,213</b>
<b>New Brunswick</b>	8.7 (7-10.4)	43,856
• Men	9.4 (6.9-11.9)	22,615
• Women	8.1 (5.9-10.3)	21,242
12 to 19 years of age (both sexes)	17.5 (11.4-23.5)	11,418
20-34 years of age (both sexes)	E12.2 (7.6-16.7)	E11,119
35-44 years of age (both sexes)	E8.8 (3.9-13.6)	E6,793
45-64 years of age (both sexes)	E6.8 (4.3-9.3)	E11,616
65 years and over (both sexes)	E2.9 (1.1-4.8)	E2,911

*Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution; F=Failed*


**NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE, 2003- 2009**

	2003	2005	2007	2008	2009
<b>Number of non-smokers (aged 12 plus)</b>					
Exposed to second hand smoke in the past month:					
• In public places	90,262	33,388	38,822	35,688	40,334
• At home	60,855	59,710	44,654	44,153	36,486
• In vehicles	59,190	51,709	56,012	49,526	43,856
<b>Percentage of non-smokers (aged 12 plus)</b>					
Exposed to second hand smoke in the past month:					
• In public places	19.1 17.4-20.7	6.8 5.6-8	7.9 6.4-9.4	7.2 5.7-8.8	8 6.3-9.7
• At home	12.8 11.4-14.3	12.1 10.6-13.5	9.1 7.3-10.9	8.9 7.5-10.4	7.2 5.7-8.8
• In vehicles	12.5 11.1-13.8	10.5 9.3-11.7	11.4 9.6-13.3	10 8.4-11.7	8.7 7-10.4
<i>Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution</i>					

**YOUNG NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE 2003- 2009**

	2003	2005	2007	2008	2009
<b>Number of non-smokers (aged 12 to 19)</b>					
Exposed to second hand smoke in the past month:					
• In public places	15,815	9,549	E11,257	E9,354	E9,057
• At home	19,102	19,123	10,641	16,912	E10,790
• In vehicles	15,303	17,298	16,225	14,523	E11,418
<b>Percentage of non-smokers (aged 12 plus)</b>					
Exposed to second hand smoke in the past month:					
• In public places	23.7 19.1-28.2	14.1 9.9-18.2	17.1 11.2-23.1	14.5 8.3-20.7	13.8 7.7-20
• At home	28.6 23.9-33.3	28.1 23.3-32.9	16.2 11.1-21.3	26.2 19.7-32.6	16.5 10.9-22.1
• In vehicles	22.9 18.6-27.3	25.4 21-29.8	24.7 18.1-31.3	22.5 16.1-8.8	17.5 11.4-23.5
<i>Statistics Canada: Canadian Community Health Survey, 2009. E=Interpret with caution</i>					

**NON-SMOKERS' EXPOSURE TO SECOND HAND SMOKE  
PERCENTAGE OF POPULATION REPORTING EXPOSURE  
NEW BRUNSWICK, 2003- 2009**



The data on this fact sheet were derived from the Canadian Community Health Surveys (Cycle 2.1, 2.2 and 2007, 2008 and 2009) as provided by Statistics Canada.

Further information on survey methodology can be found at: <http://www.statcan.gc.ca/dli-ild/data-donnees/ftp/cchs-escs-eng.htm>

**The questions used on the CCHS survey included:**

- “At the present time, do you smoke cigarettes daily, occasionally or not at all?” This question was asked of all respondents.
- “Including both household members and regular visitors, does anyone smoke inside your home every day or almost every day?” This question was asked of non-smokers.
- (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)? This question was asked of non-smokers.
- In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle? This question was asked of non-smokers.